

**To:** Wagner, Christine[Wagner.Christine@epa.gov]  
**Cc:** Nonresponsive based on revised scope @westonsolutions.com]; Nonresponsive based on revised scope @westonsolutions.com]; Nonresponsive based on revised scope @epa.gov]; Nonresponsive based on revised scope @epa.gov]  
Nonresponsive based on revised scope @epa.gov]

**From:** Nonresponsive based on revised scope /O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=C7EDFADEB7E14594B861A8AE389F6817 Nonresponsive based on revised scope

**Sent:** Fri 9/21/2018 8:01:17 PM (UTC)

**Subject:** Case# 47768, SDG# C0AB8 - Validated Data for Shiloh Church Road Site

[47768 C0AB8 ltr.pdf](#)

[47768 C0AB8 DVR.pdf](#)

[47768 C0AB8 SSR.pdf](#)

[EQuls 1 47768 C0AB8 Validated.xls](#)

[EQuls 2 47768 C0AB8 Validated.xls](#)

[EQuls 3 47768 C0AB8 Validated.xls](#)

[EQuls 47768 C0AB8 Validated.xls](#)

Christine Wagner  
US EPA Region 3  
1650 Arch Street  
Philadelphia, PA 19103-2029

Christine,

Attached to this message you will find electronic files containing the validation report and validated data for Shiloh Church Road Site, Case# 47768, SDG# C0AB8. The validation of this case was completed by the Region III Environmental Services Assistance Team (ESAT).

Please contact ESAT's RPO Nonresponsive based on revised scope by phone at Nonresponsive based on revised scope or e-mail at Nonresponsive based on revised scope @epa.gov if additional assistance is needed.

TO # 0002 TDF # 0818100



Nonresponsive based on revised scope Research Technician Nonresponsive based on revised scope @epa.gov

ICF | 701 Mapes Road, Fort Meade, MD 20755-5350